











spec ref		-		dr		Hai-Ling Liu		2016/04/22		projection				MM		size		A2		scale		2:1															
tolerance std		-		eng		Hai-Ling Liu		2016/06/08		product family				ecn no		rel level		Released																			
-		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Terris Liu		2016/06/08																													
ASME Y14.5				appr		Pei-Ming Zheng		2016/06/08																													
surface		-		linear		Amphenol FCI		title		HPCE STMT RECPT 4LP28S OMITTED 10S LOW HF		dwg no		10139432		rev		A																			
ASME Y14.5																								0.X		±0.5											
																								0.XX		±0.25											
		angular		0°				±0°																													
cat. no.																								-		Product - Customer Drw										sheet 2 of 4	

PART NUMBER	FEATURE A HOST BOARD ALIGNMENT KEY (SEE NOTE 7)	FEATURE B FRONT ORIENTATION KEY	FEATURE C MOUNTING EARS
I0139432-001HFLF	NO	NO	YES
I0139432-002HFLF	YES		
I0139432-003HFLF	NO	YES	
I0139432-004HFLF	YES		



NOTES:

1. CONNECTOR MATERIALS:
- HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK
UL 94V-0 COMPLIANT
CONTACTS: HIGH PERFORMANCE COPPER ALLOY.
2. CONTACT FINISH REF. GS-12-604 SECTION 5.2.
3. PRODUCT SPECIFICATION: GS-12-604.
4. APPLICATION SPECIFICATION: GS-20-128.
5. PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETAS FCI SPECIFICATION: GS-24-007.
6. PACKAGING MEETS FCI SPECIFICATION: GS-14-937.
7. HOST BOARD ALIGNMENT KEY IS RECOMMENDED TO ENSURE PROPER ALIGNMENT OF SOLDER TAILS WITH HOST BOARD PADS.

spec ref		-		dr		Hai-Ling Liu		2016/04/22		projection				MM		size		A2		scale		4:1	
tolerance std		-		eng		Hai-Ling Liu		2016/06/08						ecn no		-		rel level		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Terris Liu		2016/06/08															
				appr		Pei-Ming Zheng		2016/06/08															
										product family		CARD EDGE											
surface		-		linear		0.X		±0.5		Amphenol FCI		title		HPCE STMT RECPT		dwg no		I0139432		rev		A	
				0.XX		±0.25																	
				0.XXX		±0.10																	
ASME Y14.5				angular		0°		±°				cat. no.		-		Product - Customer Drw				sheet 4 of 4			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10139432-002HFLF](#)